










订购

型号		功能	继电器	电源	代码
ERC 211		温度控制器，红色 LED	1	115 V a.c.	080G3290
				230 V a.c.	080G3293
ERC 213			3	115 V a.c.	080G3291
				230 V a.c.	080G3294
ERC 214			4	115 V a.c.	080G3292
				230 V a.c.	080G3295
EKA 183A		带适配器的编程应用程序卡 - ERC 21X			080G9740

型号		功能	电源电压	代码
EKC 202A		制冷控制器	230 V	084B8521
EKC 202B		具有风扇功能的制冷控制器		084B8522
EKC 202C		电气除霜制冷控制器		084B8523
EKA 178A		数据通信模块。MOD 总线		084B8564
EKA 179A		数据通信模块。RS 485- LON		084B8565
EKA 181C		电池模块可以在电池长时间故障时保护时钟		0848577
EKA 182A		拷贝秘钥 EKC - EKC		084B8567

型号		功能	电源	代码
AK-CC 210		制冷控制器没有数据通信，但可以安装一个模块	230 V a.c.	084B8520
			115 V a.c.	084B8534
EKA 178A		数据通信模块 MOD-BUS	084B8564	
EKA 179A		数据通信模块 LON RS 485		
EKA 181C		电池模块可以在电池长时间故障时保护时钟	084B8577	